



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

directly as the number of sun-spots visible. Now, if there were an intimate connection between the two classes of phenomena, the appearance of an area of great solar disturbance at the eastern limb, as is occasionally the case at the time of a minimum, should give *very* marked auroral displays, whereas it is quite certain that the coincidence is not so marked at these times (where the element of "chance" is reduced) as at the time of a maximum; is this not so?

Auroras are, or are not, an effect of sun-spots on the sun's eastern limb. I spent fourteen months in Hudson's Strait, and, to my knowledge, during the auroral season from 50 to 75 per cent of our clear nights (and clear nights were a peculiarity of the latitude in winter) had auroral displays. Assuming two such solar areas as required constantly on the sun, and representing the term "eastern limb" by twenty-four hours, we have a vastly larger number of auroras unaccounted for than this theory accounts for.

Quoting from Dr. Veeder's letter to *Science*, April 28, he says: "When, however, this area was at the eastern limb, from Jan. 7-11, although it had not yet developed spots, and was the seat of brilliant faculae only, . . . great magnetic storms" were "in progress and auroras . . . reported in high latitudes."

I never saw, nor do I expect to see, the eastern or western limb of the sun when faculae are visible to ordinary powers, when they were not more distinctly "brilliant" there than elsewhere. If this condition can be taken as a fulfilment of this theory, it is evident that the theory is beyond argument.

This quotation furnishes the required instance "in which an aurora appeared in the absence of *well-defined* solar conditions," for, according to the evidence supplied, "a great magnetic storm" was in progress from Jan. 7-11, whereas I feel certain that Dr. Veeder cannot claim that an area represented by *five* days' solar rotation (Jan. 7-11) could possess (in fact, his words show it did *not* possess) *well-defined* solar conditions of the nature required.

Sun-spots¹ have been a special object of study at this observatory since its institution. It is safe to say that something is known of their nature and origin, but that it is as nothing to that which remains to be investigated. It is possible to allow fanciful attributes to this little-known agency, which will account for any theory we may be pleased to conceive, but, treated in accordance with any known dynamical law, there seems to be no way of accounting for the peculiar action of this force, which is not equally applicable to its position at the western limb. It seems evident, from the nature of a sun-spot's formation, that the force employed is exerted in a vertical direction; it would be reasonable to expect that the resulting maximum effect should be evident, if at all, in the same direction; not horizontally, as this theory requires.

Assuming the solar force to be an "electro-magnetic" one, any resulting auroral development should bear a fixed relation to the line joining the source of energy with the earth's centre and the plane of rotation of the earth. If this is a fact, it is quite evident that points widely differing in longitude on the earth's surface will experience similar effects, as the earth's diurnal motion brings them successively under this influence, after a time-interval almost infinitely less than that represented by the difference of longitude of the two points considered. No one will surely claim that this is even approximately the case.

Again, "cosmical dust and debris" is not conclusively present in the "zodiacal light." Even accounting for the origin of the zodiacal light in this way, it is observationally evident that the rest of interplanetary space is not so filled, for this light is only visible as an appendage to the sun, in certain fixed directions; elsewhere the absence of the light proves that this "dust and debris" is not symmetrically disposed about the sun. Admitting, for the sake of argument, that interplanetary space was filled with this dust and debris, the lapsed aeons of planetary existence with the countless orbital revolutions of the planets themselves must have swept out, as the masses of the planets must have aggregated to themselves, the last vestige of such dust and debris, leaving vast intervals without this assumed conducting material.

¹ "Sun-Spots: Their Maximum and Minimum Periods and Zones of Greatest Frequency." Read before the Royal Astronomical Society, April 13, 1882.

I should be pleased, and I think it would be a matter of more than personal interest, if Dr. Veeder has the time, in what I know to be a very busy life (setting the "limit" I have suggested), if he would, from out the fund of information in his possession, see how far the element of "chance" enters into this question, not admitting too much of the suppositional when sun-spots fail at the required period by the substitution of "faculae," and at the same time show a comparison of coincidences through a semi-period, at least, of solar activity.

W. A. ASHE.
The Quebec Observatory, May 6.

BOOK-REVIEWS.

The Earth's History. An Introduction to Modern Geology. By R. D. ROBERTS. New York, Chas. Scribner's Sons. 1893. Maps and illustrations. 270 p. 12°. \$1.50.

THIS volume is one of a series now being published in England by Murray and in this country by the Scribners, as an outcome of the popular University Extension movement. The prospectus states that "the aim of these manuals is to educate rather than inform. In their preparation, details will be avoided except when they illustrate the working of general laws and the development of general principles; while the historical evolution of both the literary and scientific subjects as well as their philosophical significance will be kept in view."

The author of the present volume has been successful in carrying out this plan, for without being detailed he presents the broader aspects of the science in a familiar and pleasing manner. In the chapter on the "Agents of Destruction," he refers particularly to the Grand Cañon region, where the phenomena of denudation are shown on such a magnificent scale. This is followed by chapters on the extent of the destructive operations in Nature, and these, in turn, by other chapters on the construction of land. The constructive agents are grouped under the three heads of deposition, movements of the crust, and addition by extrusion from the interior. There are interesting accounts of shallow-water deposition, of calcareous deposits, such as coral reefs, and of deep-sea deposits. The author does not commit himself in regard to the origin of atolls, referring to Darwin's theory of subsidence, but not discussing others that have been advanced. An interesting account is given of the formation of Monte Nuovo in 1538 and of the destruction of Krakatoa in 1883.

The last part is devoted to the "Evolution of Land Areas," and we have here the application to geological phenomena of the principles enunciated in the first parts. Two chapters deal with the evolution of the British Islands. Altogether the volume gives an excellent exposition of geological phenomena and must serve as a useful compend to all who desire a knowledge of the principles without having to wade through a mass of details concerning the subject. For these details other volumes must be consulted.

JOSEPH F. JAMES.

Washington, D. C., May 3.

Public Health Problems. By JOHN F. J. SYKES. The Contemporary Science Series. New York, Charles Scribner's Sons. 8°.

THE multiplication of books relating to public health may perhaps in itself be encouraging, but the fact that the quality in no way keeps pace with the quantity is quite the reverse. The book before us covers a wide field—from "heredity" to "dwelling-houses"—but conveys, whether rightly or wrongly, the impression of being in the main the result of a "cram." The chapter on heredity, for example, opens with this remarkable statement, "The Darwinian theory of natural selection has given prominence to two schools of evolutionists, the one attributing evolution solely to selection, and the other, whilst not denying the effects of selection, valuing—perhaps over-valuing—the effects of heredity" (p. 8). If the reader be fairly conversant with modern biological literature and be in a somewhat cynical mood he will at least derive some amusement from the rest of that chapter.

It is perhaps unfair to single out the chapter on heredity for especial criticism since the subject is rather remote from the author's main theme. We regret, however, to be obliged to point

to the fact that the succeeding chapters are sprinkled with far too many misstatements and that the whole book is marred by a loose and slovenly style. We do not wish to imply that the book does not contain many valuable and interesting facts, but the general lack of precision of statement is painfully evident in a passage like this: "It has been hitherto [sic] held that putrefaction was a chemical action only, but recent researches have shown that numberless microbes are concerned in the process, and without these micro-organisms organic bodies retain their form" (p. 69).

Debatable questions are dismissed in a rather summary fashion, e. g., "There can be no doubt whatever that sewer gas may produce sore throat, diarrhoea, and typhoid fever . . ." (p. 65). "the germs of disease may be easily carried into the air from refuse and faecal accumulations" (p. 75).

As for the style, "Koch demonstrated the presence of cholera bacilli in the water of Indian ponds or tanks, probably harboring and multiplying in the banks" (p. 76). "However urgent those specially familiar with the deteriorating influences at work may regard the remedies applicable, yet they can never secure their adoption without the consensus of the opinions of others" (p. 355).

The author in a measure, however, disarms criticism by his unimpeachable statement in the conclusion (p. 344), "Errors of omission and of commission may be readily found in all human work . . ."

Report on the Brown Coal and Lignite of Texas. By E. T. DUMBLE, State Geologist. Austin. 1892. 243 p. Plates. 8°.

THIS volume is one of the numerous ones that have recently appeared on the work of the survey. It contains a very full account of the origin, formation, and composition of the Brown

coal and of its use as fuel. Many details are given of the geology of these deposits in Texas, and comparisons are made between these and the European lignites. A strong argument is made for the use of the Brown coals in Texas, and the results of the investigations made by the author in Europe and in Texas may be summed up about as follows:—

Brown coal and lignite of good quality are capable of replacing bituminous coal for all household, industrial, and metallurgical processes.

Texas has an abundant supply which is so situated as to permit its being mired and delivered for use at a far less cost than bituminous coal.

The raw coal can be used in stoves and grates, under locomotive boilers, in iron smelting, lime burning, etc. It may be used for the manufacture of gas for lighting or heating. It can be made into artificial fuel by "briquetting" with coal-tar, pitch, etc., and then used like ordinary coal. Certain varieties, if charred, will form a coke with coking coal and coal-tar pitch, which can be used for locomotive engines and other similar purposes.

These facts are of great importance to a country like Texas, where wood is practically absent, and where the ordinary soft coals and anthracite are nearly unknown. There seems no reason why similar deposits of lignite in other States west of the Mississippi River should not be utilized. JOSEPH F. JAMES.

Manual of Machine Drawing and Design. By D. A. LOW and A. W. BEVIS. London and New York, Longmans, Green & Co. 1898. VI. 375 p. 8°. \$2.50.

THIS excellent work is designed for the use of engineers and their apprentices, and for students in technical schools, and is admirably adapted to its purpose. It is more a drawing-room


CALENDAR OF SOCIETIES.

Anthropological Society, Washington.

May 16.—Annual address by the president of the society, Dr. James C. Wellings, *The Last Town Election in Pompeii: An Archaeological Study of Roman Municipal Government based on Pompeian Wall Inscriptions.*

Society of Natural History, Boston.

May 17.—Clarence J. Blake, *Out of Darkness into Light; or, The Education of a Blind Deaf-Mute.* Mr. Anagnos kindly consented to allow Miss Thayer of the Kindergarten for the Blind, and her pupil, Willie Robin, to be present.



WORLD-ENGLISH. 25 Cents.

HANDBOOK OF WORLD-ENGLISH. 25 Cents.

Ex - President Andrew D. White, of Cornell University, says: "I believe that the highest interests of Christian civilization and of humanity would be served by its adoption."

"So set down, our tongue is the best for the world to unite upon."—*Brooklyn Eagle*.

"The idea of Mr. Bell has much to recommend it, and the presentation is charmingly clear."—*American*, Phila.

"The result is a language which cannot fail to meet with acceptance."—*Boston Traveller*.

"World-English deserves the careful consideration of all serious scholars."—*Modern Language Notes*.

Sent, postpaid, on receipt of price.

N. D. C. HODGES,

874 Broadway, New York.

THE WINNIPEG COUNTRY; OR, ROUGHING IT WITH AN ECLIPSE PARTY.

BY
A. ROCHESTER FELLOW.
(S. H. SCUDDER.)

With thirty-two Illustrations and a Map.
12°. \$1.50.

"This is a sprightly narrative of personal incident. The book will be a pleasant reminder to many of rough experiences on a frontier which is rapidly receding."—*Boston Transcript*.

"The picture of our desolate North-western territory twenty-five years ago, in contrast with its civilized aspect to-day, and the pleasant features of the writer's style, constitute the claims of his little book to present attention."—*The Dial*.

FOSSIL RESINS.

This book is the result of an attempt to collect the scattered notices of fossil resins, exclusive of those on amber. The work is of interest also on account of descriptions given of the insects found embedded in these long-preserved exudations from early vegetation.

By CLARENCE LOWN and HENRY BOOTH.
12°. \$1.

THE RADIOMETER.

By DANIEL S. TROY.

This contains a discussion of the reasons for their action and of the phenomena presented in Crookes' tubes.

Price, postpaid, 50 cents.

N. D. C. HODGES, 874 Broadway, New York.

Reading Matter Notices.


Ripans Tabules: best liver tonic.
Ripans Tabules cure jaundice.

THE ROSE POLYTECHNIC INSTITUTE, an advertisement of which appears in this issue, is one of our leading Engineering Colleges, and is especially fortunate in its thoroughly modern equipment and plan of instruction. It lays special emphasis on the practical side of technical education, which it is enabled to do throughout the whole course of four years by its ample shops and laboratories and exceptionally complete outfit, especially in electricity.

BACK NUMBERS and complete sets of leading Magazines, Rates low. AM. MAG. EXCHANGE, Schoharie, N. Y.

RESTORE YOUR EYESIGHT

Cataracts, scars or films can be absorbed and paralyzed nerves restored, *without the knife or risk*. Diseased eyes or lids can be cured by our *home treatment*. "We profit." Hundreds convinced. Our illustrated pamphlet, "Home Treatment for Eyes," free. Don't miss it. Everybody wants it. "The Eye," Glens Falls, N. Y.



INDEX TO VOLUME XVIII OF SCIENCE

is in preparation, and will be issued at an early date.